

Cambridge IGCSE[™]

CHEMISTRY 0620/23

Paper 2 Multiple Choice (Extended)

May/June 2022

45 minutes

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

INSTRUCTIONS

There are forty questions on this paper. Answer all questions.

- For each question there are four possible answers **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do not use correction fluid.
- Do not write on any bar codes.
- You may use a calculator.

INFORMATION

- The total mark for this paper is 40.
- Each correct answer will score one mark.
- Any rough working should be done on this question paper.
- The Periodic Table is printed in the question paper.




of dilute

| 1 | Wh | nich two g | ases will di | ffuse at the san | ne rat | e, at the same | temp | erature? | |
|---|----|--------------------------|---------------|-------------------|---------|------------------|----------|------------------|----------|
| | Α | carbon r | monoxide a | and carbon diox | ide | | | | |
| | В | carbon r | monoxide a | and nitrogen | | | | | |
| | С | chlorine | and fluorin | ie | | | | | |
| | D | nitrogen | and oxyge | en | | | | | |
| 2 | | student n furic acid. | | he time taken | for 2 | 2.0 g of magn | esium | to dissolve i | n 50 cm³ |
| | Wh | nich appar | atus is ess | ential to comple | ete th | e experiment? | | | |
| | | 1 | stop-clock | | | | | | |
| | | 2 | measuring | g cylinder | | | | | |
| | | 3 | thermome | ter | | | | | |
| | | 4 | balance | | | | | | |
| | A | 1, 2 and | 4 B | 1 and 2 only | С | 1 and 4 only | D | 2, 3 and 4 | |
| 3 | Wh | nich stater | ment descr | ibes the propert | ies of | f both diamond | and s | silicon(IV) oxid | e? |
| | Α | They are | e brittle, wi | th a low melting | point | t, and are insol | uble i | n water. | |
| | В | They are | e hard, with | n a high melting | point | , and are elect | rical in | nsulators. | |
| | С | They are | e malleable | e, with a high me | elting | point, and are | electr | ical conductors | S. |
| | D | They are | e soft, with | a low melting p | oint, a | and are electric | cal ins | ulators. | |
| | | - | | | | | | | |

4 Paper chromatography is used to separate four different coloured inks, W, X, Y and Z, and an unknown ink T.

The chromatogram is shown.



Which inks are present in ink T?

- **A** W and X
- **B** W and Y
- C X and Z
- **D** Y and Z

5 Particle P has an atomic number of 18, a mass number of 40 and no overall charge.

Particle Q has an atomic number of 19, a mass number of 40 and a single positive charge.

Which statement is correct?

- **A** They are isotopes of the same element.
- **B** They are both ions.
- **C** Q has more neutrons than P.
- **D** They have the same number of electrons in their outer shell.
- 6 Which statement about the properties of metals is correct?
 - A Metals are malleable because the layers of positive ions can slide over each other.
 - **B** Metals conduct electricity when solid because the positive ions move freely through the metal.
 - **C** Metals conduct electricity because there is a strong force of attraction between the positive ions and the delocalised electrons.
 - **D** Metals have a high melting point because the positive ions attract each other strongly.

7 The equation for the reaction between barium chloride and dilute sulfuric acid is shown.

$$BaCl_2 + H_2SO_4 \rightarrow BaSO_4 + 2HCl$$

Which row shows the state symbols for this equation?

| | BaCl ₂ | H ₂ SO ₄ | BaSO ₄ | 2HC <i>l</i> |
|---|-------------------|--------------------------------|-------------------|--------------|
| Α | (aq) | (aq) | (s) | (aq) |
| В | (aq) | (I) | (s) | (aq) |
| С | (1) | (aq) | (s) | (1) |
| D | (aq) | (I) | (aq) | (I) |

8 A 0.5 g sample of calcium carbonate is reacted with excess dilute hydrochloric acid.

$$CaCO_3(s) + 2HCl(aq) \rightarrow CaCl_2(aq) + H_2O(I) + CO_2(g)$$

Which volume of CO₂ is produced at r.t.p.?

A $0.12\,\mathrm{dm}^3$

B $0.18\,\mathrm{dm}^3$

C $0.24\,\mathrm{dm}^3$


D 12 dm³

9 Aluminium is manufactured from aluminium oxide by electrolysis.

Which row shows the ionic half-equations at each electrode and describes the role of cryolite in the process?

| | reaction at anode | reaction at cathode | role of cryolite |
|---|------------------------------------|----------------------------------|-----------------------------|
| Α | $20^{2-} \rightarrow 0_2 + 4e^-$ | $Al^{3+} + 3e^- \rightarrow 3Al$ | catalyst |
| В | $Al^{3+} + 3e^- \rightarrow Al$ | $20^{2-} \rightarrow O_2 + 4e^-$ | solvent for aluminium oxide |
| С | $20^{2-} \rightarrow O_2 + 4e^-$ | $Al^{3+} + 3e^- \rightarrow Al$ | solvent for aluminium oxide |
| D | $Al^{3+} + 3e^{-} \rightarrow 3Al$ | $20^{2-} \rightarrow 0_2 + 4e^-$ | catalyst |

10 The diagram shows the electrolysis of concentrated hydrochloric acid and concentrated aqueous sodium chloride using carbon electrodes.



At which electrodes is hydrogen produced?

- A electrode 1 only
- B electrodes 1 and 3
- C electrode 2 only
- **D** electrodes 2 and 4
- 11 Which statement about fuels is correct?
 - **A** Coal and ethanol are examples of non-renewable energy sources.
 - **B** Hydrogen and oxygen can be reacted to produce an electric current.
 - **C** Large amounts of energy are taken in by a fuel when it burns.
 - **D** Radioactive isotopes are burned to produce heat.
- 12 Which row identifies a chemical change and a physical change?

| | chemical change | physical change |
|---|---------------------------------|-----------------------------|
| Α | boiling ethanol | burning ethanol |
| В | burning ethanol evaporating etl | |
| С | dissolving ethanol in water | burning ethanol |
| D | evaporating ethanol | dissolving ethanol in water |

13 Metal M reacts with steam and produces gas G.

Which row identifies gas G and the type of reaction when metal M reacts with steam?


| | gas G | type of reaction |
|---|----------|------------------|
| A | hydrogen | redox |
| В | hydrogen | neutralisation |
| С | oxygen | redox |
| D | oxygen | neutralisation |

- **14** Which statement explains why increasing the concentration of a reactant increases the rate of the reaction?
 - A greater proportion of the particles have the activation energy so there are more successful collisions.
 - **B** Particles have more energy so there are more frequent collisions.
 - **C** There are more particles in the same volume so there are more frequent collisions.
 - **D** The particles move more quickly so there are more frequent collisions.
- **15** Water is added to anhydrous copper(II) sulfate.

What happens during the reaction?

- **A** The copper(II) sulfate turns blue and the solution formed gets colder.
- **B** The copper(II) sulfate turns blue and the solution formed gets hotter.
- **C** The copper(II) sulfate turns white and the solution formed gets colder.
- **D** The copper(II) sulfate turns white and the solution formed gets hotter.
- 16 Which statement explains why lime is added to soil?
 - A to decrease the pH of acidic soil
 - **B** to decrease the pH of alkaline soil
 - C to increase the pH of acidic soil
 - **D** to increase the pH of alkaline soil

17 Sulfur dioxide is bubbled through water containing litmus.



Which row describes and explains what happens to the litmus?

| | observation | explanation |
|---|---------------|-----------------------------------|
| Α | it turns blue | sulfur dioxide is a basic oxide |
| В | it turns blue | sulfur dioxide is an acidic oxide |
| С | it turns red | sulfur dioxide is an acidic oxide |
| D | it turns red | sulfur dioxide is a basic oxide |

18 The oxides of two elements, X and Y, are separately dissolved in water and the pH of each solution tested.

| oxide tested | pH of solution |
|--------------|----------------|
| Х | 1 |
| Υ | 13 |

Which information about X and Y is correct?

| | oxide is acidic | oxide is basic | metal | non-metal |
|---|--------------------|-------------------|-------|-----------|
| Α | Х | Υ | X | Υ |
| В | X | Υ | Υ | X |
| С | Y | X | X | Y |
| D | Υ | Х | Υ | X |

19 An acid is neutralised by adding an excess of an insoluble solid base.

A soluble salt is formed.

How is the pure salt obtained from the reaction mixture?

- **A** crystallisation \rightarrow evaporation \rightarrow filtration
- **B** evaporation \rightarrow crystallisation \rightarrow filtration
- **C** filtration \rightarrow crystallisation \rightarrow evaporation
- \mathbf{D} filtration \rightarrow evaporation \rightarrow crystallisation
- **20** Which ion forms a precipitate that dissolves in excess with both aqueous ammonia and with aqueous sodium hydroxide?
 - A calcium ion, Ca²⁺
 - **B** copper(II) ion, Cu²⁺
 - C iron(III) ion, Fe³⁺
 - **D** zinc ion, Zn²⁺
- **21** Elements in Group IV of the Periodic Table are shown.

carbon

silicon

germanium

tin

lead

What does **not** occur in Group IV as it is descended?

- **A** The proton number of the elements increases.
- **B** The elements become more metallic.
- **C** The elements have more electrons in their outer shell.
- **D** The elements have more electron shells.

22 W, X, Y and Z are elements in Period 3 of the Periodic Table.

The numbers of outer-shell electrons in an atom of each element are shown.

| element | number of outer-shell electrons |
|---------|---------------------------------|
| W | 1 |
| X | 2 |
| Y | 7 |
| Z | 8 |

Which elements are non-metals?

- **A** W, X and Y
- **B** W and X only **C** Y and Z **D** Z only

23 Selenium is an element in Group VI.

Group VI elements follow similar trends to Group VII elements.

Which statement about selenium is correct?

- Α It has a higher density than sulfur.
- В It has a lower melting point than sulfur.
- It has six electron shells. C
- D It is a monoatomic element.

24 Which row describes the properties of a typical transition element?

| | melting point | density | used as catalyst |
|---|------------------|---------|---------------------|
| Α | high | high | yes |
| В | high | low | no |
| С | low | high | yes |
| D | low | low | no |

25 Which row describes an atom of a noble gas?

| | number of protons | number of neutrons | number of electrons |
|---|-------------------|--------------------|---------------------|
| Α | 2 | 2 | 0 |
| В | 2 | 2 | 2 |
| С | 8 | 8 | 8 |
| D | 8 | 8 | 10 |

| 26 | Some pro | perties | of four | elements, | P, (| Q, R | and S | are, | shown |
|----|----------|---------|---------|-----------|------|------|-------|------|-------|
|----|----------|---------|---------|-----------|------|------|-------|------|-------|

Solid P reacts with dilute hydrochloric acid to give hydrogen.

Solid Q does not conduct electricity.

Solid R is used to make saucepans because it is a good conductor of heat.

Solid S reacts with oxygen to form a compound where atoms of S share electrons with atoms of oxygen.

Which elements are metals?

| Α | P and R | В | P and S | С | Q and R | D | Q and S |
|---|----------|---|---------|---|------------|---|----------|
| | i aliait | _ | i and | • | G GIIG I C | _ | G GIIG C |

27 Which substance is used to reduce zinc oxide in the manufacture of zinc?

- A carbon
- **B** carbon dioxide
- C hydrogen
- **D** sulfur dioxide

28 Three metal compounds, J, K and L, are heated using a Bunsen burner.

The results are shown.

- J colourless gas produced, which relights a glowing splint
- K colourless gas produced, which turns limewater milky
- L no reaction

Which row identifies J, K and L?

| | J | K | L |
|---|---------------------|---------------------|---------------------|
| Α | magnesium carbonate | potassium carbonate | potassium nitrate |
| В | magnesium carbonate | potassium nitrate | potassium carbonate |
| С | potassium nitrate | magnesium carbonate | potassium carbonate |
| D | potassium nitrate | potassium carbonate | magnesium carbonate |

29 Nitrogen oxide, NO, is formed in the engine of petrol-powered cars.

One constituent of petrol is octane, C₈H₁₈.

Nitrogen oxide is removed from exhaust fumes by catalytic converters.

Which row identifies the reactants that produce nitrogen oxide and a reaction that removes it in a catalytic converter?

| | reactants that produce NO | reaction that removes NO |
|---|-------------------------------|-------------------------------------|
| Α | octane + one gas found in air | $2NO + 2CO \rightarrow N_2 + 2CO_2$ |
| В | octane + one gas found in air | $NO + CO_2 \rightarrow NO_2 + CO$ |
| С | two gases found in air | $2NO + 2CO \rightarrow N_2 + 2CO_2$ |
| D | two gases found in air | $NO + CO_2 \rightarrow NO_2 + CO$ |

30 A magnesium block is attached to iron to prevent it from rusting.

Which statement about this method of rust prevention is correct?

- **A** Magnesium corrodes instead of iron because it is more reactive.
- **B** Magnesium prevents oxygen from reaching the iron.
- **C** The iron does not rust because it has a greater tendency to form ions than magnesium.
- **D** This method of rust prevention is called galvanising.

31 Fertilisers are used to provide three of the elements needed for plant growth.

Which two compounds would give a fertiliser containing all three of these elements?

- A $Ca(NO_3)_2$ and $(NH_4)_2SO_4$
- **B** $Ca(NO_3)_2$ and $(NH_4)_3PO_4$
- C KNO₃ and (NH₄)₂SO₄
- **D** KNO₃ and (NH₄)₃PO₄
- 32 Which processes increase the amount of carbon dioxide in the air?
 - 1 combustion of hydrogen
 - 2 combustion of methane
 - 3 photosynthesis by plants
 - 4 thermal decomposition of limestone
 - **A** 1 and 3
- **B** 1 and 4
- **C** 2 and 3
- **D** 2 and 4
- 33 In the Contact process, sulfur dioxide is converted into sulfur trioxide.

$$2SO_2(g) + O_2(g) \rightleftharpoons 2SO_3(g)$$

What is the effect of lowering the pressure on the rate of formation and percentage yield of sulfur trioxide at equilibrium?

| | rate of formation | percentage yield |
|---|----------------------|---------------------|
| A | decreases | decreases |
| В | decreases | increases |
| С | increases | decreases |
| D | increases | increases |

- 34 What are the products when limestone (calcium carbonate) is heated strongly?
 - A calcium hydroxide and carbon dioxide
 - B calcium hydroxide and carbon monoxide
 - C calcium oxide and carbon dioxide
 - D calcium oxide and carbon monoxide

35 The structure of ester W is shown.

Which row gives the names of ester W and the carboxylic acid and alcohol from which it is made?

| | name of ester W | carboxylic acid | alcohol |
|---|------------------|-----------------|----------|
| Α | ethyl methanoate | ethanoic acid | methanol |
| В | ethyl methanoate | methanoic acid | ethanol |
| С | methyl ethanoate | ethanoic acid | methanol |
| D | methyl ethanoate | methanoic acid | ethanol |

36 The equation for the reaction between butane, C_4H_{10} , and chlorine is shown.

$$C_4H_{10} + Cl_2 \rightarrow C_4H_9Cl + HCl$$

Which type of reaction does butane undergo when it reacts with chlorine?

- **A** addition
- **B** reduction
- C acid-base
- **D** substitution
- 37 Butene has three structural isomers which are alkenes.

Which statements about these isomers are correct?

- 1 They have the same molecular formula.
- 2 They have different numbers of bonds in the molecule.
- 3 They have a C=C bond in the structure.
- **A** 1 and 2 **B** 1 and 3 **C** 2 only **D** 3 only

38 The hydrocarbon $C_{12}H_{26}$ is cracked to give X and Y, as shown.

$$C_{12}H_{26} \rightarrow X + Y$$

Which statement is correct?

- **A** If X is C_6H_{12} then Y will react with aqueous bromine.
- **B** If X is $C_{10}H_{22}$ then Y can be used to make a polymer.
- **C** If X is a hydrogen molecule then Y is an alkane.
- **D** X and Y could be structural isomers.
- **39** An ester, $C_4H_8O_2$, is made by reacting 0.06 mol of ethanol, C_2H_6O , and 0.05 mol of ethanoic acid, $C_2H_4O_2$.

$$C_2H_6O + C_2H_4O_2 \rightarrow C_4H_8O_2 + H_2O$$

0.0375 mol of the ester was made.

What is the percentage yield and the M_r of the ester?

| | percentage yield/% | M _r |
|---|-----------------------|----------------|
| A | 62.5 | 48 |
| В | 75.0 | 48 |
| С | 62.5 | 88 |
| D | 75.0 | 88 |

- 40 Which type of compound is made when a protein is hydrolysed?
 - A alkene
 - B amino acid
 - C carboxylic acid
 - **D** sugar

The Periodic Table of Elements

| | \ | ² He | lium 4 | 10 | <u>e</u> | 90n | 81 | - | gon 10 | 36 | ۲ | pton 75 | '¥ | é | non 31 | 36 | ٦ | uop – | | | |
|-------|---------------|-----------------|---------------|---------------|--------------|------------------------------|----|----------|------------------|----|--------|-----------------|----|--------|------------------|-------|-------------|-----------------|--------|-----------|--------------------|
| | <i>></i> | | he | | _ | - `` | | _ | ar | ., | _ | | - | _ | xe 7 | | <u></u> | e e | | | |
| | ₹ | | | 6 | Щ | fluorine 19 | 17 | Cl | chlorine 35.5 | 35 | Ā | bromine 80 | 53 | Н | iodine 127 | 85 | Ą | astatine | | | |
| | > | | | 8 | 0 | oxygen 16 | 16 | S | sulfur 32 | 34 | Se | selenium 79 | 52 | Б | tellurium 128 | 84 | Ъ | polonium — | 116 | _ | livermorium - |
| | ^ | | | 7 | Z | nitrogen 14 | 15 | 凸 | phosphorus 31 | 33 | As | arsenic 75 | 51 | Sp | antimony 122 | 83 | Ξ | bismuth 209 | | | |
| | ≥ | | | 9 | ပ | carbon 12 | 14 | Si | silicon 28 | 32 | Ge | germanium 73 | 50 | Sn | tin 119 | 82 | Pb | lead 207 | 114 | Fl | flerovium — |
| | = | | | 2 | В | boron 11 | 13 | Αl | aluminium 27 | 31 | Ga | gallium 70 | 49 | I | indium 115 | 81 | 11 | thallium 204 | | | |
| | | | | | | | | | | 30 | Zu | zinc 65 | 48 | g | cadmium 112 | 80 | Нg | mercury 201 | 112 | S | copernicium - |
| | | | | | | | | | | 29 | D C | copper 64 | 47 | Ag | silver 108 | 79 | Au | gold 197 | 111 | Rg | roentgenium - |
| Group | | | | | | | | | | 28 | Z | nickel 59 | 46 | Pq | palladium 106 | 78 | 귙 | platinum 195 | 110 | Ds | darmstadtium - |
| Gro | | | | | | | | | | 27 | ပိ | cobalt 59 | 45 | 格 | rhodium 103 | 77 | Ι | iridium 192 | 109 | M | meitnerium - |
| | | - I | hydrogen 1 | | | | | | | 26 | Ьe | iron 56 | 44 | Ru | ruthenium 101 | 9/ | SO | osmium 190 | 108 | Hs | hassium - |
| | | | | | | | | | | 25 | Mn | manganese 55 | 43 | ٦ ک | technetium - | 75 | Re | rhenium 186 | 107 | Bh | bohrium — |
| | | | | | pol | ass | | | | 24 | ပ် | chromium 52 | 42 | Mo | molybdenum 96 | 74 | ≥ | tungsten 184 | 106 | Sg | seaborgium - |
| | | | Key | atomic number | atomic symbo | name relative atomic mass | | | | 23 | > | vanadium 51 | 41 | qN | niobium 93 | 73 | Та | tantalum 181 | 105 | Ор | dubnium - |
| | | | | | ato | rela | | | | 22 | F | titanium 48 | 40 | Zr | zirconium 91 | 72 | Έ | hafnium 178 | 104 | 짪 | rutherfordium - |
| | | | | | | | | | | 21 | လွ | scandium 45 | 39 | > | yttrium 89 | 57–71 | lanthanoids | | 89–103 | actinoids | |
| | = | | | 4 | Be | beryllium 9 | 12 | Mg | magnesium 24 | 20 | Ca | calcium 40 | 38 | Š | strontium 88 | 56 | Ba | barium 137 | 88 | Ra | radium |
| | _ | | | 8 | := | lithium 7 | 7 | Na | sodium 23 | 19 | ¥ | potassium 39 | 37 | Rb | rubidium 85 | 55 | Cs | caesium 133 | 87 | Ŧ | francium - |

| | 57 | 28 | 59 | 09 | 61 | 62 | 63 | 64 | 65 | 99 | 29 | 89 | 69 | 70 | 71 |
|-------------|------------------|---------------|---------------------|------------------|-----------------|-----------------|-----------------|-------------------|----------------|-------------------|----------------|---------------|----------------|------------------|-----------------|
| lanthanoids | Га | Ce | Ą | ΡN | Pm | Sm | En | ВĠ | Д | ò | 웃 | щ | Щ | Υb | Γn |
| | lanthanum 139 | cerium 140 | praseodymium 141 | neodymium 144 | promethium - | samarium 150 | europium 152 | gadolinium 157 | terbium 159 | dysprosium 163 | holmium 165 | erbium 167 | thulium 169 | ytterbium 173 | lutetium 175 |
| | 89 | 06 | 91 | 92 | 93 | 94 | 98 | 96 | 26 | 86 | 66 | 100 | 101 | 102 | 103 |
| actinoids | Ac | Ļ | Ра | \supset | ď | Pn | Am | Cm | 益 | ర | Es | Fm | Md | 8 N | ۲ |
| | actinium | thorium | protactinium | uranium | neptunium | plutonium | americium | curium | berkelium | californium | einsteinium | ferminm | mendelevium | nobelium | lawrencium |
| | ı | 232 | 231 | 238 | ı | ı | ı | ı | ı | ı | ı | ı | ı | ı | ı |
| | | | | | | | | | | | | | | | |

The volume of one mole of any gas is $24\,\mathrm{dm}^3$ at room temperature and pressure (r.t.p.).