



Cambridge IGCSE™

CANDIDATE
NAME

CENTRE
NUMBER

| | | | | |
|--|--|--|--|--|
| | | | | |
|--|--|--|--|--|

CANDIDATE
NUMBER

| | | | |
|--|--|--|--|
| | | | |
|--|--|--|--|

* 6 1 4 8 5 9 4 1 8 3 *

CHEMISTRY

0620/42

Paper 4 Theory (Extended)

May/June 2022

1 hour 15 minutes

You must answer on the question paper.

No additional materials are needed.

INSTRUCTIONS

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

INFORMATION

- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [].
- The Periodic Table is printed in the question paper.

This document has **16** pages. Any blank pages are indicated.

- 1 The symbols of the elements of Period 3 of the Periodic Table are shown.

| | | | | | | | |
|----|----|----|----|---|---|----|----|
| Na | Mg | Al | Si | P | S | Cl | Ar |
|----|----|----|----|---|---|----|----|

Answer the following questions about these elements.

Each symbol may be used once, more than once or not at all.

Write the symbol of the element which:

- (a) forms a stable ion with a 2+ charge [1]
- (b) is the least reactive in the period [1]
- (c) is used in water treatment [1]
- (d) forms an oxide which is the main impurity in iron ore [1]
- (e) is an important component of fertilisers [1]
- (f) is stored under oil [1]
- (g) is used in food containers [1]
- (h) is found in the ore zinc blende. [1]

[Total: 8]

2 Calcium hydroxide, Ca(OH)_2 , is slightly soluble in water.

(a) Calcium hydroxide can be made by the reaction of calcium with water.

(i) Write the chemical equation for this reaction.

..... [2]

(ii) Name another substance that reacts with water to form calcium hydroxide.

..... [1]

(b) When calcium hydroxide dissolves in water, it dissociates into ions and forms a weakly alkaline solution.

(i) Suggest the pH of aqueous calcium hydroxide.

..... [1]

(ii) Give the formula of the ion responsible for making the solution alkaline.

..... [1]

(c) Limewater is a saturated solution of calcium hydroxide, $\text{Ca(OH)}_2(\text{aq})$.

(i) Name the gas limewater is used to test for.

..... [1]

(ii) Suggest what is meant by the term *saturated solution*.

.....
..... [2]

(iii) Describe how you would make a sample of limewater starting with solid calcium hydroxide.

.....
.....
..... [2]

(iv) Describe how you would test for the presence of calcium ions in a sample of limewater.

test

observations

..... [3]

- (d) A 25.0 cm³ sample of limewater is placed in a conical flask. The concentration of Ca(OH)₂ in the limewater is determined by titration with dilute hydrochloric acid, HCl.

- (i) Name the item of apparatus used to measure the volume of acid in this titration.

..... [1]


- (ii) State the type of reaction which takes place.

..... [1]

- (iii) As well as limewater and dilute hydrochloric acid, state what other type of substance must be added to the conical flask.

..... [1]

- (iv) The equation for the reaction is shown.



20.0 cm³ of 0.0500 mol/dm³ HCl reacts with the 25.0 cm³ of Ca(OH)₂.

Determine the concentration of Ca(OH)₂ in g/dm³. Use the following steps.

- Calculate the number of moles in 20.0 cm³ of 0.0500 mol/dm³ HCl.

..... mol

- Determine the number of moles of Ca(OH)₂ in 25.0 cm³ of the limewater.

..... mol

- Calculate the concentration of Ca(OH)₂ in mol/dm³.

..... mol/dm³

- Determine the concentration of Ca(OH)₂ in g/dm³.

..... g/dm³
[5]

[Total: 21]

3 Transition elements are found in the middle block of the Periodic Table.

(a) Chromium has several isotopes. Manganese has only one isotope.

(i) State what is meant by the term *isotopes*.

..... [2]

(ii) State the nucleon number of manganese.

..... [1]

(iii) Complete the table to show the number of protons, neutrons and electrons in a $^{52}_{24}\text{Cr}^{3+}$ ion.

| protons | neutrons | electrons |
|---------|----------|-----------|
| | | |

[3]

(b) One chemical property of transition elements is that they form coloured compounds.

(i) Give the colours of the following hydrated salts.

- hydrated copper(II) sulfate
- hydrated cobalt(II) chloride

[2]

(ii) State two **other** chemical properties of transition elements.

1

2

[2]

(c) Transition elements and Group I elements are metals. They share many physical properties including the ability to:

- conduct electricity
- be hammered into shape.

(i) Explain why transition elements and Group I elements conduct electricity.

..... [1]

(ii) State the property that describes a material which can be hammered into shape.

..... [1]

- (d) Transition elements and Group I elements differ in other physical properties. Transition elements are harder and stronger than Group I elements.

Describe two **other** ways in which the physical properties of transition elements differ from Group I elements.

1

2

[2]

[Total: 14]

4 Fluorine and chlorine are halogens.

(a) Suggest the appearance of fluorine.

..... [1]

(b) Fluorine reacts with sulfur to form a compound which has 25.2% sulfur by mass and a relative molecular mass of 254.


Determine the molecular formula of this compound.

molecular formula = [3]

(c) Nitrogen trichloride, NCl_3 , is a covalent compound.

Complete the dot-and-cross diagram to show the electron arrangement in a molecule of NCl_3 .


Show outer electrons only.



[3]

- (d) Lithium chloride, LiCl , is an ionic compound.

Complete the dot-and-cross diagram to show the electron arrangement and charges of the ions in lithium chloride.



[3]


- (e) Explain, in terms of attractive forces between particles, why LiCl is a solid at room temperature but NCl_3 is a liquid with a relatively low boiling point.

.....
.....
.....

[3]

[Total: 13]

- 5 The reaction scheme shows five organic reactions, numbered 1 to 5.



- (a) Name reaction 1.

..... [1]

- (b) Name reaction 2 and write the chemical equation for this reaction.

name

equation

[3]

- (c) Reaction 3 forms ethanol from alkene A.

- (i) Identify alkene A.

..... [1]

- (ii) State the type of reaction that occurs during reaction 3.

..... [1]

- (iii) State the reagents and conditions needed for reaction 3.

.....

..... [2]

- (d) Alkene A is converted into alkane B in reaction 4.

- (i) State the reagent and conditions for reaction 4.

.....

..... [3]

- (ii) State the general formula of alkanes.

..... [1]

(e) Ethanol is oxidised in reaction 5 by heating it with dilute sulfuric acid and one other reagent.

(i) Identify the other reagent in reaction 5.

..... [1]

(ii) Name the homologous series compound **C** belongs to.

..... [1]

(iii) Draw the structure of compound **C**.

Show all of the atoms and all of the bonds.


[1]

[Total: 15]

6 This question is about polymers.

(a) Polymer X is a condensation polymer.

Part of the structure of polymer X is shown.



(i) How many molecules of water are produced when this part of polymer X is formed from its monomers?

..... [1]

(ii) Complete the structures of the **two** monomers used to make polymer X.

Show all of the atoms and all of the bonds in the functional groups.



and




[2]

(iii) What type of condensation polymer is X?

..... [1]


(b) Part of polymer Y has the structure shown.



State the number of different types of monomer needed to make polymer Y.

..... [1]

- (c) Part of polymer Z has the structure shown.



- (i) Draw and name the structure of the monomer which forms polymer Z.

Show all of the atoms and all of the bonds.

name

[3]

- (ii) Name the chemical process used to make the monomer that forms polymer Z.

..... [1]

[Total: 9]

The Periodic Table of Elements

| I | | II | | Group | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|------------------------------------|----|--|--|--|--|--|------------------------------------|-------------------------------------|--------------------------------|------------------------------------|-------------------------------------|-----|-------------------------------------|---------------------------------------|----|--------------------------------------|--------------------------------------|--|------------------------------------|------------------------------------|-----|------------------------------------|-------------------------------------|--|----------------------------------|--|----------------------------------|
| | | | | I | | | | | | II | | | III | | | IV | | V | | VI | | VII | | VIII | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 Li lithium 7 | 4 Be beryllium 9 | | | | | | | | | 1 H hydrogen 1 | | | | | | | | | | | | | | | | | | |
| 11 Na sodium 23 | 12 Mg magnesium 24 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 19 K potassium 39 | 20 Ca calcium 40 | | | 21 Sc scandium 45 | 22 Ti titanium 48 | | | 23 V vanadium 51 | 24 Cr chromium 52 | | 25 Mn manganese 55 | 26 Fe iron 56 | | 27 Co cobalt 59 | 28 Ni nickel 59 | | 29 Cu copper 64 | 30 Zn zinc 65 | | 31 Ga gallium 70 | 32 Ge germanium 73 | | 33 As arsenic 75 | 34 Se selenium 79 | | 35 Br bromine 80 | | 36 Kr krypton 84 |
| 37 Rb rubidium 85 | 38 Sr strontium 88 | | | 39 Y yttrium 89 | 40 Zr zirconium 91 | | | 41 Nb niobium 93 | 42 Mo molybdenum 96 | | 43 Tc technetium – | 44 Ru ruthenium 101 | | 45 Rh rhodium 103 | 46 Pd palladium 106 | | 47 Ag silver 108 | 48 Cd cadmium 112 | | 49 In indium 115 | 50 Sn tin 119 | | 51 Sb antimony 122 | 52 Te tellurium 128 | | 53 I iodine 127 | | 54 Xe xenon 131 |
| 55 Cs cesium 133 | 56 Ba barium 137 | | | 57–71 lanthanoids lanthanum 139 | 72 Hf hafnium 178 | | | 73 Ta tantalum 181 | 74 W tungsten 184 | | 75 Re rhenium 186 | 76 Os osmium 190 | | 77 Ir iridium 192 | 78 Pt platinum 195 | | 79 Au gold 197 | 80 Hg mercury 201 | | 81 Tl thallium 204 | 82 Pb lead 207 | | 83 Bi bismuth 209 | 84 Po polonium – | | 85 At astatine – | | 86 Rn radon – |
| 87 Fr francium – | 88 Ra radium – | | | 89–103 actinoids actinium – | 104 Rf rutherfordium – | | | 105 Db dubnium – | 106 Sg seaborgium – | | 107 Bh bohrium – | 108 Hs hassium – | | 109 Mt meitnerium – | 110 Ds darmstadtium – | | 111 Rg roentgenium – | 112 Cn copernicium – | | 114 Fl ferrovium – | 116 Lv livmorium – | | | | | | | |

16

| | | | | | | | | | | | | | | |
|-------------------------------------|-----------------------------------|--|-------------------------------------|------------------------------------|------------------------------------|------------------------------------|--------------------------------------|-----------------------------------|--------------------------------------|-----------------------------------|--------------------------------------|--------------------------------------|-------------------------------------|-------------------------------------|
| 57 La lanthanum 139 | 58 Ce cerium 140 | 59 Pr praseodymium 141 | 60 Nd neodymium 144 | 61 Pm promethium – | 62 Sm samarium 150 | 63 Eu europium 152 | 64 Gd gadolinium 157 | 65 Tb terbium 159 | 66 Dy dysprosium 163 | 67 Ho holmium 165 | 68 Er erbium 167 | 69 Tm thulium 169 | 70 Yb ytterbium 173 | 71 Lu lutetium 175 |
| 89 Ac actinium – | 90 Th thorium 232 | 91 Pa protactinium 231 | 92 U uranium 238 | 93 Np neptunium – | 94 Pu plutonium – | 95 Am americium – | 96 Cm curium – | 97 Bk berkelium – | 98 Cf californium – | 99 Fm fermium – | 100 Md mendelevium – | 101 Md mendelevium – | 102 No nobelium – | 103 Lr lawrencium – |

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).